

Applicant: Gregory C. Andrews

Serial No.: 09/656,076

Att'y Docket No.: 14374.36

Filing Date: September 6, 2000

For: LARGE SURFACE AREA X-RAY TUBE SHIELD STRUCTURE

INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANTU.S. Patent Documents

<u>Examiner Initial*</u>	<u>Patent Number</u>	<u>Issue Date</u>	<u>Name</u>	<u>Class</u>	<u>Sub Class</u>	<u>Filing Date</u>
<u>Paul</u> A1	6,125,169	09/26/00	Wandke, et al.	378	143	12/19/97
<u>Paul</u> A2	6,115,454	09/05/00	Andrews, et al.	378	140	08/06/97
<u>Paul</u> A3	6,074,092	06/13/00	Andrews	378	200	09/28/98
<u>Paul</u> A4	6,002,745	12/14/99	Miller, et al.	378	128	06/04/98
<u>Paul</u> A5	5,737,387	04/07/98	Smither	378	130	03/11/94
<u>Paul</u> A6	5,689,542	11/18/97	Lavering, et al.	378	142	06/06/96
<u>Paul</u> A7	5,541,975	06/30/96	Anderson, et al.	378	130	01/07/94
<u>Paul</u> A8	5,018,181	05/21/91	Iversen, et al.	378	144	10/31/89
<u>Paul</u> A9	4,709,559	12/01/87	Dotzauer, et al.	62	499	06/20/86
<u>Paul</u> A10	4,622,687	11/11/86	Whitaker, et al.	378	130	10/14/83
<u>Paul</u> A11	4,115,697	09/19/78	Hounsfield, et al.	250	445T	05/17/77

Examiner:

Paul R. Holsch

Date Considered:

15 Dec 01

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Gregory C. Andrews

Serial No.: 09/656,076

Att'y Docket No.: 14374.36

Filing Date: September 6, 2000

For: LARGE SURFACE AREA X-RAY TUBE SHIELD STRUCTURE

Foreign Patent Documents

<u>Examiner</u> <u>Initial*</u>	<u>Document</u> <u>Number</u>	<u>Publ.</u> <u>Date</u>	<u>Country or</u> <u>Patent Office</u>	<u>Class</u>	<u>Sub</u> <u>Class</u>	<u>Trans-</u> <u>lation</u>
------------------------------------	----------------------------------	-----------------------------	---	--------------	----------------------------	--------------------------------

NONE

Other Documents

(including author (if listed), title, relevant pages, date of publication including at least month and year).

Examiner

Initial\*

NONE

Examiner:

Date Considered:

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant: Gregory C. Andrews

Serial No.: 09/656,076

Filing Date: September 6, 2000

For: LARGE SURFACE AREA X-RAY TUBE SHIELD STRUCTURE

Sheet 3 of 3

Att'y Docket No.: 14374.36



**References Cited by Applicants**

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

G:\DATA\WPDOCS\DF\Varian\36 ptol 1449.doc

Examiner:

Date Considered:

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.